

Compact-1401
Fittings 

Building
Fittings 

Grip
Fittings 

PVC-U - PEAD

Raccordi in PVC-U e in PEAD corrugato per fognatura ed edilizia
PVC-U and HDPE fittings for sewage and building industry



Accessories




 **Gresintex**
Dalmine
Sirci



www.sirci.it

Raccordi in PVC-U per scarichi di acque civili ed industriali

PVC-U fittings for civil and industrial sewage pipelines

Legenda:

	Diametro Diameter		Pezzi per scatola Pieces per box		Pezzi per pallet Pieces per pallet
---	----------------------	---	-------------------------------------	--	---------------------------------------

Materials: PVC-U
Colours: RAL8023 
RAL7011 

* Assemblati | Assembled

Curva 15°
Bend 15°



Ø	Euro/1		
110	2,89	112	448
125	3,82	75	300
160	7,26	36	144
200	12,96	-	90
250	36,15	-	22
315	67,45	-	12
355*	188,57	-	1
400*	160,84	-	1
500*	343,20	-	1
630*	710,00	-	1
710*	1140,00	-	1
800*	1210,00	-	1
900*	1750,00	-	1
1000*	2130,00	-	1
1200*	3700,00	-	1

Curva 30°
Bend 30°




Ø	Euro/1		
110	2,89	100	400
125	3,82	75	300
160	7,26	33	132
200	12,96	-	80
250	36,15	-	22
315	72,28	-	12
355*	188,57	-	1
400*	165,74	-	1
500*	343,20	-	1
630*	710,00	-	1
710*	1140,00	-	1
800*	1210,00	-	1
900*	1750,00	-	1
1000*	2130,00	-	1
1200*	3700,00	-	1



Curva 45°
Bend 45°



Ø	Euro/1		
110	2,89	90	360
125	3,82	60	240
160	7,26	30	120
200	12,96	-	70
250	36,15	-	29
315	72,36	-	15
355*	188,57	-	1
400	168,60	-	18
500*	343,20	-	1
630*	980,00	-	1
710*	1650,00	-	1
800*	2820,00	-	1
900*	2580,00	-	1
1000*	2900,00	-	1
1200*	4750,00	-	1

Curva 87°
Bend 87°



Ø	Euro/1		
110	3,96	70	280
125	4,23	15	180
160	8,86	24	96
200	15,50	-	50
250	43,78	-	23
315	81,76	-	13
355*	278,87	-	1
400	242,49	-	12
500*	478,40	-	1
630*	1250,00	-	1
710*	2100,00	-	1
800*	2350,00	-	1
900*	3300,00	-	1
1000*	3900,00	-	1
1200*	6100,00	-	1

Derivazione semplice 45°
Single branch 45°



Ø	Euro/1		
110	6,91	36	144
125	7,69	25	100
160	13,89	12	48
200	27,59	-	25
250	68,62	-	12
315	136,26	-	16
355*	376,90	-	1
400*	376,90	-	1
500*	647,23	-	1

Derivazione semplice 87° 30'
Single branch 87° 30'






Ø	Euro/1		
110	6,91	45	180
125	7,69	33	132
160	13,89	15	60
200	27,59	-	33
250	68,62	-	16
315	136,26	-	16
355*	376,90	-	1
400*	376,90	-	1
500*	647,23	-	1


Raccordi in PVC-U per scarichi di acque civili ed industriali

PVC-U fittings for civil and industrial sewage pipelines

Legenda:



	Diametro Diameter		Pezzi per scatola Pieces per box		Pezzi per pallet Pieces per pallet
--	----------------------	---	-------------------------------------	---	---------------------------------------



Materials: PVC-U

Colours: RAL8023 

RAL7011 

* Assemblati | Assembled




Derivazioni ridotte 45° / 87° 30' Single Branch 45° / 87° 30'	Ø1	Ø2	Euro/1 
		125	110
160		110	16,15
	125		
200	110	29,60	
	160		
250	110	68,61	
	200		
315	110	132,40	
	250		
400	160*	268,78	
	315*		
500	160*	466,39	
	400*		
630*	160	1100,00	
	500		
710*	200	1400,00	
	710		
800*	200	2200,00	
	800		
900*	200	2700,00	
	800		
1000*	315	2900,00	
	800		
1200*	315	3600,00	
	800		



Innesti a Sella 45° / 87° 30' Saddle branch 45° / 87° 30'	Ø1	Ø2	Euro/1 
		160	125
200		125	29,74
	160		
250	125	51,36	
	200		
315	125	77,18	
	200		
400	160	143,88	
	250		
500	160	220,21	
	400		
630*	160	370,00	
	500		
710*	160	420,00	
	500		
800*	200	550,00	
	500		
900*	200	680,00	
	500		
1000*	200	780,00	
	500		
1200*	200	1050,00	
	500		



Raccordi in PVC-U per scarichi di acque civili ed industriali PVC-U fittings for civil and industrial sewage pipelines

Legenda:

	Diametro Diameter		Pezzi per scatola Pieces per box		Pezzi per pallet Pieces per pallet
---	----------------------	---	-------------------------------------	--	---------------------------------------


Materials: PVC-U
Colours: RAL8023 
RAL7011 


* Assemblati | Assembled





Manicotto Double socket		Ø	Euro/1	
			 	
110	4,90	120		
125	6,12	80		
160	9,90	36		
200	17,15	90		
250	28,65	44		
315	45,74	27		
355	166,60	1		
400	166,60	1		
500	815,30	1		
630*	380,00	1		
710*	450,00	1		
800*	610,00	1		
900*	760,00	1		
1000*	850,00	1		
1200*	1150,00	1		





Tappo femmina Spigot cap		Ø	Euro/1	
			 	
160*	7,21	1		
200*	19,40	1		
250*	31,13	1		
315*	43,80	1		
400*	88,78	1		
500*	296,89	1		
630*	320,00	1		
710*	380,00	1		
800*	460,00	1		
900*	560,00	1		
1000*	780,00	1		





Tappo maschio Spigot cap		Ø	Euro/1	
			 	
110	2,15	450		
125	3,91	300		
160	5,10	150		
200	16,18	90		
250	23,40	78		
315	32,75	42		
400	62,84	26		
500*	198,50	14		
630*	320,00	1		
710*	380,00	1		
800*	460,00	1		
900*	560,00	1		
1000*	780,00	1		

Sifone Firenze Siphon		Ø	Euro/1	
			 	
110*	36,57	70		
125*	41,80	50		
160*	69,21	25		
200*	107,54	13		
250*	361,60	1		
315*	590,62	1		
400*	1036,42	1		
500*	1881,90	1		

Ispezione lineare Ispection		Ø	Euro/1	
			 	
110	15,60	42		
125	19,15	32		
160	33,82	14		
200	49,85	42		
250*	92,09	22		
315*	135,85	12		
400*	195,45	1		
500*	306,96	1		
630*	680,00	1		
710*	830,00	1		
800*	990,00	1		
900*	1180,00	1		
1000*	1520,00	1		

GL per curve GL for bends		Ø	Euro/1	
			 	
250	28,40	1		
315	47,74	1		
400*	87,56	1		
500*	119,27	1		




Settori per curve Sector for bends		Ø	Euro/1	
			 	
250	6,76	100		
315	12,31	80		
400*	24,63	50		
500*	40,41	40		

Punte per curve Spigot end		Ø	Euro/1	
			 	
250	19,74	1		
315	30,02	1		
400*	53,36	1		
500*	89,94	1		


Raccordi in PVC-U per scarichi di acque civili ed industriali

PVC-U fittings for civil and industrial sewage pipelines

Legenda:

	Diametro Diameter		Pezzi per scatola Pieces per box		Pezzi per pallet Pieces per pallet
--	----------------------	---	-------------------------------------	---	---------------------------------------





Materials: PVC-U

Colours: RAL8023 

RAL7011 



* Assemblati | Assembled

Raccordo pozzetti Insert manhole	Ø	Euro/1  	
	110	7,90	1
	125	9,47	1
	160	12,62	1
	200	18,15	1
	250	37,20	1
	315	55,20	1
	400	97,07	1
	500	115,23	1
	630*	190,00	1
	710*	260,00	1
	800*	330,00	1
	1000*	530,00	1
	1200*	810,00	1

Conici Rovesci Invert reducer	Ø	Euro/1  	
	125/110	12,96	1
	160/125	15,50	1
	200/125	23,27	1
	200/160	23,27	1
	400/500*	225,41	1




Aumenti (bicchiere sul diametro minore) Reducer	Ø	Euro/1  		
	110/125	4,65	112	448
	110/160	10,40	96	384
	125/160	10,40	84	336
	125/200	13,41	32	128
	160/200	13,41	-	132
	160/250*	22,90	-	68
	200/250	22,90	24	96
	200/315*	52,22	-	48
	250/315	52,22	-	1
	315/400	99,10	-	1
	400/500*	225,41	-	1
	500x630*	480,00	-	1
	630x800*	770,00	-	1
	630x1000*	1070,00	-	1
	710x800*	930,00	-	1
	710x1000*	1170,00	-	1
	800x1000*	1210,00	-	1
	1000x1200*	1650,00	-	1

Valvola Antiriflusso Backwater valve	Ø	Euro/1  	
	160	290,95	1
	200	368,83	1
	250	522,41	1
	315	684,65	1
	400	1090,50	1



Lubrificante Lubricant	Kg1
	€/1
	14,56
	Kg 0,50
	€/1
	7,28

Raccordi in PVC-U scarichi di acque civili ed industriali
PVC-U fittings for civil and industrial sewage pipelines

Legenda:

	Diametro <i>Diameter</i>		Pezzi per sacco <i>Pieces per bag</i>		Pezzi per pallet <i>Pieces per pallet</i>
---	-----------------------------	---	--	--	--

Materials: PVC-U

Colours: RAL2003 
RAL9010 
on request RAL7037 

Curva 45°
Bend 45°



Ø	Euro/1		
40	0,74	50	3600
50	0,87	50	3000
63	1,02	20	1500
80	1,37	10	750
82	1,42	10	750
100	1,71	20	1200
110	2,14	20	1100
125	2,42	20	800
140	3,31	10	320
160	4,96	10	280
200	8,77	5	120



Ø	Euro/1		
250	27,47	1	80
315	61,71	1	36
400	115,63	1	18
500	300,18	1	1

Curva 87° 30'
Bend 87° 30'



Ø	Euro/1		
40	1,02	50	3000
50	1,15	50	2400
63	1,27	20	1200
80	1,52	10	600
82	1,59	10	600
100	2,23	16	768
110	2,65	20	440
125	2,99	20	400
140	4,99	10	320
160	6,39	10	210
200	11,47	5	120




Ø	Euro/1		
250	34,34	1	45
315	72,45	1	24
400	136,24	1	12
500	453,38	1	1


Tappo a vite per ispezione
Ispection plug



Ø	Euro/1		
40	3,11	50	1000
50	1,56	50	1000
63	1,82	50	1000
80	3,02	20	1440
82	2,55	20	1440
100	3,31	20	1080
110	3,82	20	1080
125	4,19	20	800
140	9,53	10	600
160	8,39	10	480
200	11,44	10	300

Δ Del tipo baionetta
Δ restrained inspection (not screwing)



Ø	Euro/1		
250 ^Δ	44,51	1	1
315 ^Δ	71,52	1	1

Derivazione 45°
Branch 45°



Ø	Euro/1		
40	1,27	50	1200
50	1,67	50	960
63	2,54	10	800
80	3,05	10	600
82	3,27	10	450
100	4,54	10	360
110	4,83	10	330
125	5,12	10	300
140	6,74	8	160
160	10,08	8	109
200	19,45	1	45



Ø	Euro/1		
250	60,43	1	30
315	114,45	1	16
400	271,64	1	1
500	483,98	1	1

Derivazione 87° 30'
Branch 87° 30'



Ø	Euro/1		
40	1,27	50	1200
50	1,67	50	480
63	2,54	10	800
80	3,05	10	600
82	3,27	10	600
100	4,54	10	480
110	4,83	10	330
125	5,12	10	300
140	6,74	10	200
160	10,08	8	112
200	19,45	1	54





Ø	Euro/1		
250	60,43	1	30
315	114,45	1	26
400	271,64	1	1
500	483,98	1	1

Ispezione Lineare
Ispection



Ø	Euro/1	
100	14,12	10
110	15,30	10
125	16,72	10
140	18,98	10
160	26,04	10
200	37,90	10



Ø	Euro/1	
250	62,69	1
315	104,86	1
400	153,74	1

Giunto di dilatazione
Expansion coupler



Ø	Euro/1	
100	12,48	10
125	18,72	10

Collante
Glue



Packing	Euro/1
gr. 125	4,92
gr. 500	14,14
gr. 1000	31,79


Giunto di riparazione
Repair coupler




Ø	Euro/1	
100 ^Δ	9,10	10
110	9,90	10
125 ^Δ	10,80	10
140	12,10	10
160 ^Δ	18,50	10
200	21,30	10

Δ Disponibile anche con codolo lungo
Δ Also available with long shank

Derivazione Ridotta 45° e 87° 30' Branch 45° / 87° 30'




Ø	Euro/1	Icona	
100	40	8,25	10
	82		
125	40	10,21	10
	110		
140	40	13,05	10
	125		
160	80	19,1	10
	140		
200	80	28,76	10
	160		




Ø	Euro/1	Icona	
250	100	61,15	1
	200		
315	160	123,01	1
	250		
400	160	208,96	1
	315		
500	200	508,71	1
	315		

Curva 45° / 87° 30' con tappo ispezione Bend 45° / 87° 30' with inspection plug




Ø	Euro/1	Icona
100	15,00	10
110	17,21	10
125	18,15	10
140	24,56	10
160	31,20	10
200	44,31	10

Derivazione 45° e 87° 30' con tappo ispezione Branch 45° / 87° 30' with inspection plug




Ø	Euro/1	Icona
100	21,65	10
110	22,65	10
125	23,85	10
140	33,75	10
160	40,45	10
200	70,05	10
Ø	Euro/1	Icona
250	168,80	10

Riduzioni / aumenti eccentrici Reducer




Ø	Euro/1	Icona	Icona
40/32	1,10	50	5000
50/40	1,90	30	4000
63/40-50	2,11	50	2400
80/40-50-63	2,57	10	-
82/50-63	3,01	50	1500
100/50-63-80	3,17	20	1200
110/100	3,73	20	1200
125/80-82-100	4,01	20	1200
125/110	4,54	10	-
140/100-125	5,61	20	560
160/100-125-140	7,88	10	400
200/100-125	12,85	10	-
200/140-160	12,85	10	-




Ø	Euro/1	Icona	Icona
250/200	18,53	10	-
250/315	46,02	1	-
315/400	91,92	1	-
400/500	168,80	1	-

Sifone Firenze Siphon



Ø	Euro/1	Icona
100	26,45	5
110	29,59	5
125	34,40	5
140	45,18	1
160	58,60	1
200	96,56	1
Ø	Euro/1	Icona
250	327,16	1
315	646,16	1
400	1497,28	1


Sifone Firenze 2 tappi Siphon with double plugs



Ø	Euro/1	Icona
100	34,40	5
110	41,11	5
125	44,60	5
140	62,10	1
160	70,05	1
200	113,76	1
250	380,72	1

Raccordi in PEAD per tubazioni di scarico di acque civili ed industriali
HDPE fittings for civil and industrial sewage pipelines

Legenda:

∅	Diametro <i>Diameter</i>		Pezzi per pallet <i>Pieces per pallet</i>
---	-----------------------------	---	--



Materials: HDPE
Colours:RAL9004

Curva 45° <i>Bend 45°</i>	∅	Euro/1	
		200	13,63
	250	21,93	32
	315	31,17	16
	400	154,12	1
	500	225,26	1

Curva 87° 30' <i>Bend 87° 30'</i>	∅	Euro/1	
		200	17,66
	250	28,69	18
	315	41,01	13
	400	177,84	1
	500	248,97	1

Derivazione 45° <i>Branch 45°</i>	∅	Euro/1	
		200	38,85
	250	100,88	1
	315	154,12	1
	400	308,25	1

Derivazione 87° 30' <i>Branch 87° 30'</i>	∅	Euro/1	
		200	38,85
	250	100,88	1
	315	154,12	1
	400	308,25	1

Aumento/Riduzione <i>Reducer</i>	∅	Euro/1	
		200/315	50,71
	250/315	50,71	1
	250/400	79,16	1
	315/400	79,16	1

Manicotto Bigiunto <i>Duble socket</i>	∅	Euro/1	
		160	6,52
	200	9,59	210
	250	15,76	112
	315	23,23	72
	400	45,16	30
	500	72,20	16
	630	116,3	12



Compact-1401
Fittings 

Building
Fittings 

Grip
Fittings 

 **Gresintex
Dalmine
Sirci**



IIP

EN ISO 9001
Cert. N. 929

Il Sistema di Gestione per la Qualità
è certificato secondo la **EN ISO 9001**
Quality management system
is certified according to EN ISO 9001

GDS

Ufficio commerciale Italia
Area Nord: tel. +39 075 9298211
Area Centro: tel. +39 075 9298210
Area Sud: tel. +39 075 9298344
mail: commerciale@sirci.it
www.sirci.it/contatti.aspx
www.sirci.it/assistenza.aspx

Numero Verde Fax Ordini
800 339966

Export bureau
tel. +39 035 594848
fax +39 035 594832
mail: exportsales@sirci.it
www.sirci.it/contacts.aspx

www.sirci.it